

# Product Catalog

Carpet | Moisture Resistant Adhesives | Resilient | Floor Prep | Multi-Purpose | Wood | Cove Base | Seam Sealer | Specialty



ISO 14001:2004  
EMS 549400

# XLBrands

Flooring/Substrate	Ref. #	Trowel Size	Approximate Spread Rate square feet per gallon	Approximate Spread Rate square yards per gallon
Wood flooring adhesives	1	 3/16" x 1/4" x 5/16" 4.8mm x 6.4mm x 8.0mm	50-60	NA
	2	 1/4" x 1/4" 6.4mm x 6.4mm	35-40	NA
	3	 1/4" x 1/4" x 1/4" 6.4mm x 6.4mm x 6.4mm	35-40	3-5
Carpet: rough back, woven, double stick carpet to cushion	4	 1/8" x 1/8" x 1/8" 3.2mm x 3.2mm x 3.2mm	50-90	6-10
	5	 1/8" x 1/8" x 1/16" 3.2mm x 3.2mm x 1.6mm	45-75	5-8
Carpet: ActionBac®, unitary back, jute	6	 1/8" x 1/8" x 1/8" 3.2mm x 3.2mm x 3.2mm	90-110	10-12 150-200 linear feet per gallon for Cove Base
Carpet: smooth back, attached cushion, needle punched, cove base	7	 1/8" x 1/8" x 1/16" 3.2mm x 3.2mm x 1.6mm	70-90	8-10
	8	 3/32" x 3/32" x 3/32" 2.4mm x 2.4mm x 2.4mm	90-135	10-15 150-200 linear feet per gallon for Cove Base
Vinyl back carpet, carpet pad to floor double stick, cork tile and underlay, VCT, rubber flooring and vinyl sheet, plank, and tile over porous substrates	9	 1/16" x 1/16" x 1/16" 1.6mm x 1.6mm x 1.6mm	160-180	15-20
	10	 1/16" x 1/32" x 1/32" 1.6mm x 0.8mm x 0.8mm	220-260	20-30
VCT, vinyl sheet, plank and tile, rubber tiles over non-porous substrates	10	 1/16" x 1/32" x 1/32" 1.6mm x 0.8mm x 0.8mm	220-260	20-30
	11	 1/16" x 1/32" x 5/64" 1.6mm x 0.8mm x 2.0mm	350-400	35-45
Carpet tile	12	 3/8" Short Nap	350-400	35-45

**Note:** The above dimensions are given as width x depth x spacing. Spread rates vary with texture and porosity of the substrate. Trowels should be held at a consistent angle to apply adhesive. Examine notches regularly for wear.

# XL Brands

	Product	Description	Check Back Panel for Trowel Sizes & Coverage	Packing/Qty Per Pallet	Special Notes
CARPET	<b>Stix® 1100</b>	Solvent Free Indoor/Outdoor Carpet Adhesive  May also be used for Cork	<b>Carpet: Trowel 4, 5 or 8 Cork: Trowel 9</b>	4 gallon pails – 48/pallet 1 gallon pails – 4/case 36 cases/pallet	Water resistant when dry low odor, non-flammable
	<b>Stix® Platinum</b>	Supreme Grade Wet Set Carpet Adhesive	<b>Trowel 5, 7 or 8</b>	4 gallon pails – 48/pallet	For heavy commercial installations, can be used for wet lay installations
MULTI-PURPOSE	<b>Gold Stix®</b>	Premium Multi-Purpose Adhesive	<b>Carpet: Trowel 5, 7 or 8 Sheet Vinyl: Trowel 9</b>	4 gallon pails – 48/pallet 1 gallon – 4/case 36 cases/pallet	For heavy commercial and pattern carpet installations, and felt-backed sheet goods
	<b>Stix® 800</b>	Professional Grade Multi-Purpose Adhesive	<b>Carpet: Trowel 5, 7 or 8 Sheet Vinyl: Trowel 9</b>	4 gallon pails – 48/pallet 1 gallon – 4/case 36 cases/pallet	For residential and light commercial carpet and felt-backed sheet goods
	<b>Stix® Iron</b>	Multi-Purpose Adhesive	<b>Carpet: Trowel 5, 7 or 8 Sheet Vinyl: Trowel 9</b>	4 gallon pails – 48/pallet 1 gallon – 4/case 36 cases/pallet	Best choice for pattern carpet
COVE BASE	<b>Stix® 4000</b>	Solvent-Free Cove Base Adhesive	<b>Trowel 6 or 8</b>	4 gallon pails – 48/pallet 1 gallon pails – 4/case 36 cases/pallet 30 oz. tubes – 12/case 60 cases/pallet	Solvent free for vinyl cove base
	<b>Stix® 4500</b>	Premium Cove Base Adhesive	<b>Trowel 6</b>	4 gallon pails – 48/pallet 1 gallon pails – 4/case 36 cases/pallet 30 oz. tubes – 12/case 60 cases/pallet	Premium cove base adhesive for difficult to hold rubber & vinyl cove base
RESILIENT	<b>Stix® 5100</b>	2 Part Epoxy for Resilient Flooring	<b>Trowel 9</b>		For vinyl and rubber sheet and tile, Suitable for use with stair treads
	<b>Stix® 5300</b>	Acrylic Resilient Adhesive	<b>Trowel 9 or 10</b>	4 gallon pails 48/pallet	Pressure Sensitive Adhesive FloorScore® Certified For LVT, LVP Solid vinyl sheet and plank, VCT and fiberglass backed sheet goods
	<b>Stix® 5400</b>	Firm-set Resilient Adhesive	<b>Trowel 10</b>	4 gallon pails 48/pallet	Transitional adhesive FloorScore® Certified For use on concrete substrates Non-staining
	<b>Stix® 5500</b>	Premium High Strength Vinyl Flooring Adhesive	<b>Trowel 9 or 10</b>	4 gallon pails 48/pallet	Transitional adhesive FloorScore® Certified Up to 2 hours working time
	<b>Stix® 5600</b>	Vinyl Flooring Adhesive	<b>Trowel 9 or 10</b>	4 gallon pails 48/pallet	Pressure Sensitive Adhesive FloorScore® Certified Use on either porous or non-porous substrates
	<b>Stix® 5800</b>	Firm-setting adhesive for vinyl and rubber flooring	<b>Trowel 9</b>	4 gallon pails 48/pallet	Excellent for installing vinyl, rubber, or linoleum FloorScore® Certified Up to 30 minutes open time
	<b>Stix® 5900</b>	High Shear Vinyl Flooring Adhesive	<b>Trowel 10</b>	4 gallon pails 48/pallet	High bond and shear strength. For installations on both porous and non-porous substrates. FloorScore® Certified
	<b>Stix® Essential RES</b>	Resilient Formula Aerosol Adhesive	<b>140-200 square feet per 22 oz can</b>	Aerosol Can 6-pack 105 cases per pallet	Fast setting, aggressive tack, non-flammable. Use on concrete substrates with up to 93% RH per ASTM F2170-11 and up to 11.0 pH. FloorScore® Certified

	Product	Description	Check Back Panel for Trowel Sizes & Coverage	Packing/Qty Per Pallet	Special Notes
WOOD MOISTURE RESISTANT ADHESIVES	<b>Stix® 6010</b>	Wood Flooring Adhesive	<b>Trowel 1 (Engineered)</b>	4 gallon pails – 48/pallet	Engineered and solid wood plank
	<b>Dyna-Stix™ BLB</b>	High Moisture Broadloom Carpet Adhesive for Permeable Backings	<b>Trowel 5</b>	4 gallon pails – 48/pallet	For use directly over substrates with up to 85% RH and 10 pH
	<b>Dyna-Stix™ MOD</b>	High Moisture Modular Pressure Sensitive Adhesive	<b>Trowel 10</b>	4 gallon Eko Box – 48/pallet	For use directly over substrates with up to 85% RH and 10 pH
	<b>Dyna-Stix™ NPB</b>	High Moisture Adhesive For Non-PVC Backed Modular Carpet	<b>Trowel 10</b>	4 gallon pails – 48/pallet	For use directly over substrates with up to 90% RH and 10 pH
	<b>Dyna-Stix™ VB</b>	High Moisture Vinyl Flooring Adhesive	<b>Trowel 10</b>	4 gallon Eko Box – 48/pallet	For use directly over substrates with up to 90% RH and 10 pH
	<b>Dyna-Stix™ VCT</b>	High Moisture Vinyl Composition Tile Adhesive	<b>Trowel 10 or 11</b>	4 gallon pails – 48/pallet	For use on concrete substrates with moisture up to 90% RH as defined by ASTM F2170-11
	<b>Dyna-Stix™ WDU</b>	High Moisture Urethane Wood Flooring Adhesive	<b>Trowel 1 or 2</b>	3.5 gallon pails 5 gallon pails	Easy to clean up prior to curing, superior elasticity, high bond strength No testing required for engineered floors on or above grade 90% RH and 11 pH
	<b>Dyna-Stix® STP</b>	Silane Terminated Polymer 4-IN-1 Wood Flooring Adhesive	<b>Trowel 1 Specialty Clip On Trowel Included 3/8" x 3/16" x 3/8" x 1/16"</b>	4 gallon pails – 36/pallet	No Isocyanates, Passes minimum code requirements for sound reduction, No water, low odor, minimal shrinking 90% RH and 10 pH
	<b>Dyna-Stix™ Wood</b>	High Moisture Wood Flooring Adhesive	<b>Trowel 2</b>	4 gallon pails – 48/pallet	High initial grab, strong residual bond 85% RH and 10 pH
FLOOR PREP	<b>Driseal</b>	Penetrating Concrete Sealer	<b>Roller 12</b>	4 gallon pails – 48/pallet	Controls moisture up to 90% RH and 11.0 pH
	<b>Prelude</b>	Primer for Alkaline or Dusty Substrates	<b>Roller 12</b>	4 gallon pails – 48/pallet	Improves substrate surface for better adhesive bonds
	<b>Triseal</b>	Adhesive Residue Encapsulator	<b>Roller 12</b>	4 gallon pails – 48/pallet	Apply over old existing adhesive residue, including cutback
SEAM SEALER	<b>Stix® Seam</b>	Solvent-Free Seam Sealer	<b>1/8" bead 400 linear feet per quart</b>	Quarts and pints 12/case – 36 cases/pallet	CRI Green Label Plus approved
	<b>Stix® Seam 10K</b>	Universal Seam Sealer	<b>1/8" bead 100 linear feet per 8 ounces</b>	8 ounce bottle	Passes 10,000 cycles water penetration test
	<b>Stix® Seam Latex</b>	Multi-Use Natural Latex Adhesive	<b>1/8" bead 400 linear feet per quart</b>	Quarts and pints 12/case – 36 cases/pallet	Fast drying, good water resistance
SPECIALTY PRODUCTS	<b>Stix® 2230</b>	Pressure Sensitive Adhesive	<b>Trowel 9 or 10 Roller 12</b>	4 gallon pails – 48/pallet 1 gallon pails – 4/case 36 cases/pallet	Use with carpet tile, fiberglass back sheet, solid vinyl tile, plank and sheet, PVC sheet, double stick pad to floor, FloorScore® Certified
	<b>Stix® Essential MOD</b>	Aerosol Modular Carpet Tile Adhesive	<b>140-200 square feet per 22 oz can</b>	Aerosol Can 6-pack/ 105 cases per pallet	Fast setting, aggressive tack, non-flammable. Use on concrete substrates with up to 90% RH per ASTM F2170-11 and pH 10.0. FloorScore® Certified